



**Urological**  
SOLUTIONS

**Tennyson Centre**  
Suite 19  
520 South Road  
Kurralta Park SA 5037  
P 08 8292 2399  
F 08 8292 2388  
admin@urologicalsolutions.com.au

**Darwin Urology**  
Darwin Private Hospital  
Suite 5  
Rocklands Drive  
Tiwi NT 0810  
P 08 8920 6212  
F 08 8920 6213  
admin@darwinurology.com.au  
[www.urologicalsolutions.com.au](http://www.urologicalsolutions.com.au)

## CYSTOSCOPY & BLADDER BIOPSY

*Providing Specialist Care in South Australia & Northern Territory*

**Associates:**

*Dr Kym Horsell  
Dr Kim Pese  
Dr Michael Chong  
Dr Jason Lee  
Dr Alex Jay  
Dr Matthew Hong  
Dr Sophie Plagakis*

### **What is a Cystoscopy and Bladder Biopsy?**

A cystoscopy is a procedure where a telescope is used to inspect the urethra (water-pipe), the prostate (in men), and the bladder. A very clear and magnified view can be achieved.

A cystoscopy may be suggested for a number of reasons including;

- Blood in the urine
- Assessment of urinary tract infections
- Difficulties passing urine
- Pain or bothersome urinary symptoms

If indicated, biopsies can be taken and cautery used to minimise bleeding. Either a general anaesthetic or a spinal anaesthetic can be used. It may be a day procedure or possibly an overnight stay. If more extensive biopsies are required, then a catheter may be inserted to aid bladder drainage and comfort after the procedure.

### **Preparing for your procedure**

We will provide you with instructions regarding all aspects of preparing for your operation.

- Pre-operative blood and urine tests
- Details of admission to hospital
- Information regarding fasting and medications

### **What to expect afterwards**

You are usually able to eat and drink what you feel like after the surgery. You will be encouraged to maintain a good fluid intake. Pain relief is always available, however, it is not usual to have significant pain after this procedure. You will most likely experience irritation and have a frequent need to urinate afterwards. There will most likely be some blood in the urine which should settle within a few days.

If you have a catheter, it will be attached to a bag and drain urine from the bladder. You may have fluid bags attached and fluid irrigating slowly through to help prevent blood clots forming in the bladder. The catheter will usually be removed the following day. A combination of the surgery and the catheter can cause bladder irritation and sometimes bladder spasm.

After removal of the catheter there will most likely still be some blood in the urine. Once we can see that you are passing urine satisfactorily then you are able to go home.

You will be given pain relief if required and antibiotics if necessary to take home with you.

### **Complications**

This is generally a very safe procedure with a low risk of complications.

- The chance of infection is <5%
- Significant bleeding requiring readmission to hospital or blood transfusion is <5%
- The chance of an injury or perforation of the bladder is <1%

